


CLASS 2 ELASTICS

- 1. Teeth will move when elastics are worn consistently. Part-time wearing will not move teeth! Elastics must be worn DAY AND NIGHT, 24 HOURS A DAY except when eating and brushing, **unless directed otherwise.**
- 2. Change to a new elastic two to three times a day (morning and night).
- 3. Carry a pack of elastics with you in case one elastic breaks. Put a new set on immediately.
- 4. If you are running low on elastics, please call us and arrange to pick them up; or if that is not possible we can mail them to you. **Do not wait until your next appointment to get more.**
- 5. If you ever forget to wear elastics for a day don't double up when you do put them on. Just follow your regular instructions.
- 6. Your teeth will be tender 3-4 days when you start to wear elastics but this tenderness will go away <u>if</u> you wear them all the time.
- 7. If a bracket/button that one of your elastics is hooked onto breaks, call the office so we can fix the bracket/button and you can start wearing your elastics again preventing delays in your treatment.

THIS IS A VERY IMPORTANT PART OF YOUR TREATMENT WE NEED YOUR FULL COOPERATION!






CLASS 3 ELASTICS

- 1. Teeth will move when elastics are worn consistently. Part-time wearing will not move teeth! Elastics must be worn DAY AND NIGHT, 24 HOURS A DAY except when eating and brushing, unless directed otherwise.
- 2. Change to a new elastic two to three times a day (morning and night).
- 3. Carry a pack of elastics with you in case one elastic breaks. Put a new set on immediately.
- 4. If you are running low on elastics, please call us and arrange to pick them up; or if that is not possible we can mail them to you. Do not wait until your next appointment to get more.
- 5. If you ever forget to wear elastics for a day don't double up when you do put them on. Just follow your regular instructions.
- 6. Your teeth will be tender 3-4 days when you start to wear elastics but this tenderness will go away if you wear them all the time.
- 7. If a bracket/button that one of your elastics is hooked onto breaks, call the office so we can fix the bracket/button and you can start wearing your elastics again preventing delays in your treatment.

THIS IS A VERY IMPORTANT PART OF YOUR TREATMENT WE NEED YOUR FULL COOPERATION!



55 City Centre Drive, # 505, Mississauga ON L5B 1M3 (905) 949-6688 150 Great Lakes Drive, # 135, Brampton ON L6R 2K7 (905) 789-8888


smilenow.com



ELASTICS

- 1. Teeth will move when elastics are worn consistently. Part-time wearing will not move teeth! Elastics must be worn DAY AND NIGHT, 24 HOURS A DAY except when eating and brushing, **unless directed otherwise.**
- 2. Change to a new elastic two to three times a day (morning and night).
- 3. Carry a pack of elastics with you in case one elastic breaks. Put a new set on immediately.
- 4. If you are running low on elastics, please call us and arrange to pick them up; or if that is not possible we can mail them to you. **Do not wait until your next appointment to get more.**
- 5. If you ever forget to wear elastics for a day don't double up when you do put them on. Just follow your regular instructions.
- 6. Your teeth will be tender 3-4 days when you start to wear elastics but this tenderness will go away <u>if</u> you wear them all the time.
- 7. If a bracket/button that one of your elastics is hooked onto breaks, call the office so we can fix the bracket/button and you can start wearing your elastics again preventing delays in your treatment.

THIS IS A VERY IMPORTANT PART OF YOUR TREATMENT WE NEED YOUR FULL COOPERATION!



 Dr. Mark Eckler, D.D.S., Dip.Ortho, M.S.D
 Dr. Shane Black, D.D.S., Dip.Ortho, F.R.C.D.(C.)
 Dr. Derek Leung, D.D.S., M.S.D, F.R.C.D.(C.)

 DR. S. BLACK AND DR. D, LEUNG DENTISTRY PROFESSIONAL CORPORATION 55 City Centre Drive, # 505, Mississauga ON L5B 1M3 (905) 949-6688 150 Great Lakes Drive, # 135, Brampton ON L6R 2K7 (905) 789-8888

 smilenow.com